

Planetary Small Spacecraft

John D. Baker

August 4, 2016

Why Planetary CubeSats?

Perform focused planetary science while demonstrating new instruments and small spacecraft capabilities for future planetary missions.

Go new places

Increase the frequency of Science missions

Validate instrument and S/C technologies

Planetary Decadal Science Mapping and Instrument Availability

THEME	KEY MEASUREMENTS	OBSERVATION STRATEGY	NANOSAT-COMPATIBLE INSTRUMENTS
Origins	Isotopic, elemental, mineralogical composition	In situ (atmospheres, surface)	APXS, TLS, IR spec, Raman, LIBS Submm spec, UV Spec, Gamma ray spec, Dust spec, MassSpec
		Returned sample (small bodies)	Sample Return Capsule (possibly Acquisition as well)
Planetary Habitats	Volatile, organics composition, endogenic activity, heat budget, env	In situ, distributed network, subsurface (e.g., penetrators)	MassSpec, micro-XRF, Geophysics Inst., imaging, IR spec, seismometer
Processes	Atmospheric structure, dust, fields, geology	Close proximity, in situ, distributed networks	Cameras, IR spec, Mag, Transponders, Langmuir probes, MassSpec, TLS, dust counter, plasma
Human Exploratio n (SKGs)	Dust, fields, radiations, Dynamical properties, Mechanical properties, ISRU (composition)	Close proximity, in situ, extreme environments	Dust Counter, imaging, APXS, Geophysics Inst., accelerometers Subsurface probing, neutron spec, IR spec, radar, seismometer

code: Green = exists Orange = in development Red = does not exist yet Copyright 2015-16 California Institute of Technology. Government sponsorship acknowledged.


New Science Grade Instrument Capabilities

QIT-MS JPL



MS SWIS

JPL



MAG JPL



IntelliCam JPL



Quadrupole Ion Trap Mass Spectrometer

2.5 kg, 2U, isotopic accuracy <1%, leverages foldable edge-connected electronics

Snow and Water Imaging Spectroscopy

High-throughput, lowpolarization, high-uniformity spectrometer, 350-1700 nm spectral range

Advanced Vector Helium Magnetometer

Comparable performance to Cassini magentometer (Now being used by Europa)


High-Resolution Visible Camera


Used for science, optical navigation, and Autonomous Navigation demonstration


Tested/developed for cubesats, extensible to larger missions

Current Capabilities and Investments

for innovative missions







RADIO & DSN SUPPT

Bio-Sentinel (ARC)

Lunar IceCube (MSU)

Luna-H (ASU)

CuSSP (UCLA) MSU DSN Ext

Aft Bulkhead Carrier MarCO Location

MarCO Requirements:


- Launch with Insight May 2018

Pre-decisional - For Discussion Purposes Only

- Provide 8kbps real-time relay during Insight E

Mars Flyby Trajectory:

1 req'd, but fly 2




Entry, Descent, and Landing Nov, 2018




May 2018

MarCO Mechanical Configuration: Deployed



MarCO FM1 post-Vibe



Questions about CubeSats at JPL

- Can Cubesats even do science?
- Should we even be in the business at all?
- Does working on CubeSats train young engineers to learn the wrong things?
- Should we do in-house work?
- Does working on CubeSats advance your career?
- Why isn't Lockheed Martin working on CubeSats?



jpl.nasa.gov/cubesat